

Special Issue Introduction

Perceptual Organization and Neural Computation

Sergei Gepshtein

Brain Science Institute, RIKEN, Japan &
Salk Institute for Biological Studies, USA
<http://pdl.brain.riken.jp/sergei/>
sergei@brain.riken.jp

James H. Elder

York University, Canada
<http://www.yorku.ca/jelder>
jelder@yorku.ca

Laurence T. Maloney

New York University, USA
<http://www.psych.nyu.edu/maloney>
laurence.maloney@nyu.edu

Our present understanding of perceptual organization has its roots in the observations and qualitative principles of the Gestalt psychologists. Gestaltists and their associates identified and classified phenomena that reflect how perceptual systems derive representations of the environment based on fragmentary information and stimulus context. A broad range of phenomena was explored in this early work. The perceptual organization of visual motion was a major focus, involving both simple (Korte, 1915; Ternus, 1926; von Schiller, 1933; Wertheimer, 1912) and complex (Duncker, 1929; Musatti, 1924; Rubin, 1927; Wallach, 1935) motion patterns. The perceptual organization of static form was explored in studies of part-whole relationships in simple planar figures (Rubin, 1915; Wertheimer, 1923), and later in studies of illusory contours and amodal completion (Kanizsa, 1955; Michotte, 1964). Additional topics included lightness and color phenomena (Benary, 1924; Gelb, 1929; Katz, 1935; Wallach, 1948), and the perception of events (Michotte, 1941). In brief, the research areas addressed by the first generations of Gestalt psychologists spanned much of what is now vision science. The broad impact of Gestalt ideas is reflected in the exceptional scope of this special issue.

This early work provides a rich source of observations and intuitions about mechanisms underlying various aspects of perceptual organization. Building on this foundation, current work is revolutionizing our understanding of perceptual organization in two major respects.

First, the qualitative observations and descriptions generated by early work are now replaced by rigorous computational theories. This advance can be traced through a

number of developments. Hochberg's and Attneave's commitment to quantitative characterization of perceptual phenomena (Attneave 1954, 1959, Hochberg & McAllister, 1953, Hochberg & Silverstein, 1956) have inspired a generation of more rigorous psychophysical approaches to spatial (e.g., Feldman 1997, Field et al 1993, Kubovy, Holcombe, & Wagemans 1998, Oyama 1961, Pizlo et al., 1997) and spatiotemporal (e.g., Adelson & Movshon 1982, Burt & Sperling 1980, Gepshtein & Kubovy 2000, 2007, Ullman, 1979) perceptual organization. Brunswik's early and, at the time, radical ideas connecting perceptual organization to natural scene statistics (Brunswik & Kamiya, 1953), led to contemporary Bayesian models of perceptual organization grounded in the ecological statistics of our visual environment (e.g., Geisler et al 2001, Martin et al 2001, Elder & Goldberg 2002). Theory and technique from the computer vision community have provided candidate algorithms and computational frameworks that are being tested as models of perception (e.g., Zucker et al 1977, Witkin & Tenenbaum 1983, Lowe 1985, Tu & Zhu 2002, Lee & Mumford 2003). Researchers have sought organizational principles that could explain perceived surface lightness and color (Adelson, 1993, 2000; Gilchrist et al, 1999; Gilchrist, 2006) and developed models based on the physics of light-surface interaction (Boyaci, Doerschner, Snyder & Maloney, 2006) or the statistical structure of natural scenes (Brainard et al, 2006).

Second, direct recording from neurons in animals as well as imaging in human and non-human primates has begun to provide information about the neural mechanisms underlying key perceptual organization phenomena, including contour completion, contour salience, figure/ground perception, and a range of contextual effects (e.g., von der Heydt et al 1984, Gilbert & Wiesel 1989, Lamme 1995, Lee et al 1998, Zhou et al 2000, Duncan et al 2000, Albright & Stoner 2002).

The goal of this special issue is thus to highlight new methodological and theoretical developments in visual psychophysics, visual neuroscience and computational vision, with a particular emphasis upon the computational and neural bases of these findings.

Consistent with the historically broad scope of perceptual organization research, this special issue concerns a broad range of visual phenomena: early visual coding, motion and event perception, contour integration, figure/ground perception, perception of 2D and 3D form, lightness and colour perception, face and scene perception, attention and eye movements, audiovisual integration and perceptual learning. Techniques also range broadly, from psychophysics to single-unit recording, fMRI, computational modeling and the statistical analysis of natural scenes. What binds these papers together, despite their broad scope over modalities and techniques, is a focus on the meaningful relational structure of the visual scene and the role of context on interpretation of stimulus information. Informed by the now classical work of the Gestalt psychologists, the authors of the work contained herein combine rigorous psychophysical techniques with the tools

of mathematics, computational science and neuroscience to recast our understanding of perceptual organization in terms of exacting quantitative theories.

Acknowledgments

SG was supported by the Japanese Institute of Natural Sciences. JHE was supported by grants from NSERC, GEOIDE, OCE and PREA. LTM was supported by NIH/NEI EY08266.

References

- Adelson, E. H. (1993). Perceptual organization and the judgment of brightness. *Science*, *262*, 2042-2044.
- Adelson E. H. (2000) Lightness perception and lightness illusion. In *The New Cognitive Neuroscience, 2nd Ed.*, M Gazzaniga, ed. Cambridge, MA: MIT press, pp. 339-351.
- Adelson E, & Movshon A (1982). Phenomenal coherence of moving visual patterns. *Nature* *300*, 523-525.
- Albright, T. D. & Stoner G. R. (2002). Contextual influences on visual processing. *Annual Review of Neuroscience*, *25*, 339-379.
- Attneave, F. (1954). Informational aspects of visual perception. *Psychological Review*, *61*:183-193.
- Attneave, F (1959). *Applications of Information Theory to Psychology*. Holt, New York.
- Benary, W. (1924). Beobachtungen zu einem Experiment über Helligkeitskontrast [Observations concerning an experiment on brightness contrast]. *Psychologische Forschung*, *5*, 131–142.
- Boyaci, H., Doerschner, K., Snyder, J. L. & Maloney, L. T. (2006), Surface color perception in three-dimensional scenes. *Visual Neuroscience*, **23**, 311-321.
- Brainard, D. H., Longere, P., Delahunt, P. B., Freeman, W. T., Kraft, J. M., and Xiao, B. (2006). Bayesian model of human color constancy. *Journal of Vision*, *6*, 1267-1281,
- Brunswik, E., & Kamiya, J. (1953). Ecological cue-validity of 'proximity' and of other Gestalt factors. *American Journal of Psychology*, *66*, 20-32.
- Burt, P. & Sperling, G. (1981) *Psychological Review*, **88**, 171-195.
- Duncan, R. O., Albright, T. D. & Stoner, G. R. (2000). Occlusion and the interpretation of visual motion: Perceptual and neuronal effects of context. *Journal of Neuroscience*, **20**: 5885-5897.
- Duncker, K. (1929). Über induzierte Bewegung. Ein Beitrag zur Theorie optisch wahrgenommener Bewegung. [On induced motion. A contribution to the theory of visually perceived motion]. *Psychologische Forschung*, *12*, 180–259.

- Elder, J.H., & Goldberg, R. M. (2002). Ecological statistics of Gestalt laws for the perceptual organization of contours. *Journal of Vision*, 2(4), 324-353, <http://journalofvision.org/2/4/5/>, DOI 10.1167/2.4.5.
- Gelb, A. (1929). Die "Farbenkonstanz"; der Sehdinge. In W. A. von Bethe (Ed.), *Handbuch norm. und pathol. Psychologie* (pp. 594-678).
- Feldman, J. (1997). Curvilinearity, covariance, and regularity in perceptual groups. *Vision Research*, 37(20), 2835-2848.
- Field, D. J., Hayes, A., & Hess, R. F. (1993). Contour integration by the human visual system: Evidence for a local "association field." *Vision Research* 33 (2), 173- 193.
- Gepshtein, S. & Kubovy, M. (2000). The emergence of visual objects in space-time. *Proceedings of the National Academy of Sciences of the United States of America*, 97, 8186–8191.
- Gepshtein, S. & Kubovy, M. (2007). The lawful perception of apparent motion. *Journal of Vision* 7 (8):9, p. 1-15.
- Gilbert, C. D., & Wiesel, T. N. (1989). Columnar specificity of intrinsic horizontal and corticocortical connections in cat visual cortex. *Journal of Neuroscience*, 9, 2432-2443.
- Gilchrist, A. L. (2006). *Seeing black and white*. New York: Oxford.
- Gilchrist, A. L., Kossyfidis, C., Bonato, F., Agostini, T., Cataliotti, J., Li, X., Spehar, B., et al. (1999). An Anchoring Theory of Lightness Perception. *Psychological Review*, 106(4), 795-834.
- Geisler, W. S., Perry, J. S., Super, B. J., & Gallogly, D. P. (2001). Edge co-occurrence in natural images predicts contour grouping performance. *Vision Research*, 41, 711-724.
- Helmholtz H. von (1962). *Treatise on physiological optics*, vol. 3, J.P.C. Southall (ed.). New York: Dover. (First published in German in 1910.)
- Hochberg, J. E. & McAllister, E. (1953). A quantitative approach to figural 'goodness'. *Journal of Experimental Psychology* 46, 361-364.
- Hochberg, J. & Silverstein, A. (1956). A quantitative index of stimulus-similarity: Proximity versus differences in brightness. *American Journal of Psychology*, 69, 456–458.
- Kanizsa, G. (1955). Margini quasi-percettivi in campi con stimolazione omogenea, *Rivista di Psicologia* 49 (1), 7–30.
- Kanizsa G. (1979) *Organization in Vision*. New York: Praeger.
- Katz, D. (1935). *The world of colour*. London: Kegan Paul, Trench, Trubner.
- Koffka, K. (1935). *Principles of Gestalt psychology*. New York: Harcourt, Brace, & World.
- Korte, A. (1915). Kinematoskopische untersuchungen [Kinematoscopic investigations]. *Zeitschrift für Psychologie*, 72, 194–296.
- Kubovy, M., Holcombe, A. O. & Wagemans, J. (1998) *Cognit. Psychol.* **35**, 71-98.

- Lowe D.G. (1985) *Perceptual Organization and Object Recognition*. Boston, Mass: Kluwer.
- Marr D. (1982) *Vision*. New York: (W.H.) Freeman.
- Martin, D., Fowlkes, C., Tal, D., & Malik, J. (2001). A database of human segmented natural images and its application to evaluating segmentation algorithms and measuring ecological statistics. In *Proceedings of the 8th IEEE International Conference on Computer Vision* (pp. 416-424). Los Alamitos, CA: IEEE Computer Society Press.
- Michotte, A. (1941). La causalité physique est-elle une donnée phénoménale? [Is physical causality a phenomenal given?]. *Tijdschrift voor Philosophie*, 3, 290–328.
- Michotte, A., Thinès, G., & Crabbé, G. (1964). *Les compléments amodaux des structures perceptives [Amodal completions of perceptual structures]*. Louvain: Publications Universitaires, *Studia Psychologica*.
- Musatti, C. L. (1924). Sui fenomeni stereocinetici. *Archivio Italiano di Psicologia*, 3, 105-120.
- Oyama, T. (1961). Perceptual grouping as a function of proximity. *Perceptual and Motor Skills*, 13, 305-306.
- Pizlo, Z., Salach-Golyska, M. & Rosenfeld, A. (1997). Curve detection in a noisy image. *Vision Research*, 37, 1217-1241.
- Roberts, L. (1965) *Machine perception of 3-dimensional solids, Optical and Electro-Optical Information Processing*. Cambridge, MA: MIT Press.
- Rubin, E. (1915). *Synoplevde Figurer*, Kopenhagen, Gyldendalske.
- Rubin, E. (1927). Visuell wahrgenommene wirkliche Bewegungen [Visually perceived genuine motions]. *Zeitschrift für Psychologie*, 103, 384–392.
- Ternus, J. (1936; originally published in 1926) in *A Source of Gestalt Psychology*, ed. Ellis, W. D. (Routledge & Kegan Paul, London), pp. 149-160.
- Ullman, S. (1979). *The Interpretation of Visual Motion*. M.I.T. Press, Cambridge.
- von Schiller, P. (1933) *Psychologische Forschung* 17, 179-214
- Wallach, H. (1935). Ueber visuell wahrgenommene Bewegungsrichtung [On visually perceived direction of motion]. *Psychologische Forschung*, 20, 325–380.
- Wallach, H. (1948). Brightness constancy and the nature of achromatic colors. *Journal of Experimental Psychology*, 38, 310-324.
- Wertheimer, M. (1938). Laws of organization in perceptual forms. In W. D. Ellis (Ed.), *A sourcebook of Gestalt psychology* (pp. 71-88). London, UK: Routledge and Kegan Paul. (*Psychol. Forschung*, 1923, 4, 301-350).
- Witkin AP & Tenenbaum JM (1983). On the role of structure in vision, *Human and Machine Vision*, J. Beck, B. Hope & A. Rosenfeld, eds., New York: Academic Press.
- Zucker, SW, Hummel, R. & Rosenfeld, A (1977) An application of relaxation labeling to line and curve enhancement. *IEEE Transactions on Computing*, 26, 394-403.

- Lee TS, Mumford D, Romero R, Lamme VAF (1998) The role of the primary visual cortex in higher level vision. *Vision Research* 38: 2429-2454.
- Zhou H, Friedman HS, von der Heydt R (2000) Coding of border ownership in monkey visual cortex. *J Neuroscience* 20: 6594-6611.
- Tu, ZW & Zhu SC (2002) Image segmentation by data-driven Markov Chain Monte Carlo. *IEEE Transactions on Pattern Analysis and Machine Intelligence*,24: 657-673.
- Lee T.S. & Mumford D. (2003) Hierarchical Bayesian inference in the visual cortex. *J. Opt. Soc. Am. A* 20, 1434-1448.